

according to the United Nations GHS (Rev. 9, 2021) Issue date: 05/08/2022 Revision date: 05/08/2022

Supersedes: 11/09/2020

Version: 22.1

SECTION 1: Identification

1.1. GHS Product identifier

Product form Trade name UN-No. (ADR) Product code Mixture CFR 1 1950 BU Fire Protection



1.2. Other means of identification

No additional information available

1.3. Recommended use of the	Recommended use of the chemical and restrictions on use			
Use of the substance/mixture	Spray cleaners			
1.4. Supplier's details				
Supplier	Department issuing data specification sheet			
Hilti (Philippines) Inc.	Hilti AG			
2256 Pasong Tamo Extension	Feldkircherstraße 100			
Edsa, Brgy. Magallanes	9494 Schaan - Liechtenstein			
1224 Makati City - Philippinen	T +423 234 2111			
T +632 784 7100 - F +63 2 784 7100				
1.5. Emergency phone number	r			
Emergency number	Schweizerisches Toxikologisches Informationszentrum – 24h Service			
	+41 44 251 51 51 (international)			
	+632 784 7100			

SECTION 2: Hazard identification

Classification of the substance or mixture 2.1. **Classification according to the United Nations GHS** Aerosol, Category 1 H222;H229 On basis of test data H319 Serious eye damage/eye irritation, Category 2 Calculation method Specific target organ toxicity - Single exposure, H336 Calculation method Category 3, Narcosis Full text of H-statements: see section 16 Adverse physicochemical, human health and Pressurised container: May burst if heated, Extremely flammable aerosol, May cause environmental effects drowsiness or dizziness, Causes serious eye irritation.



according to the United Nations GHS (Rev. 9, 2021)

2.2. GHS Label elements, including precautionary statements

Labelling according to the United Nations GHS

Hazard pictograms (GHS UN)	GHS02 GHS07
Signal word (GHS UN)	Danger
Hazardous ingredients	Acetone, ethyl acetate
Hazard statements (GHS UN)	H222 - Extremely flammable aerosol H229 - Pressurised container: May burst if heated H319 - Causes serious eye irritation H336 - May cause drowsiness or dizziness
Precautionary statements (GHS UN)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 - Do not spray on an open flame or other ignition source. P251 - Do not pierce or burn, even after use. P261 - Avoid breathing spray. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition/information on ingredients

Substances 3.1.

Not applicable

3.2. **Mixtures**

Name	Product identifier	%	Classification according to the United Nations GHS
Acetone	(CAS-No.) 67-64-1	40 – 60	Flammable liquids, Category 2, H225 Serious eye damage/eye irritation, Category 2A, H319 Specific target organ toxicity – Single exposure, Category 3, Narcosis, H336
ethyl acetate	(CAS-No.) 141-78-6	10 – 25	Flammable liquids, Category 2, H225 Serious eye damage/eye irritation, Category 2, H319 Specific target organ toxicity – Single exposure, Category 3, Narcosis, H336
isobutane	(CAS-No.) 75-28-5	< 25	Flammable gases, Category 1A, H220 Gases under pressure : Compressed gas, H280
propane	(CAS-No.) 74-98-6	< 10	Flammable gases, Category 1A, H220 Gases under pressure : Compressed gas, H280
butane	(CAS-No.) 106-97-8	< 10	Flammable gases, Category 1A, H220 Gases under pressure : Compressed gas, H280

Full text of H-statements: see section 16



according to the United Nations GHS (Rev. 9, 2021)

SECTION 4: First-aid measures	
4.1. Description of necessary first-aid	measures
First-aid measures general	Call a poison center or a doctor if you feel unwell. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
First-aid measures after skin contact	If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	Call a poison center or a doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting.
4.2. Most important symptoms/effects	, acute and delayed
Symptoms/effects after inhalation	May cause drowsiness or dizziness.
Symptoms/effects after eye contact	Eye irritation. Causes serious eye irritation.
Potential adverse human health effects and symptoms	Based on available data, the classification criteria are not met.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

SEC	TION 5: Fire-fighting measures	
5.1.	Suitable extinguishing media	
Suita	ble extinguishing media	Water spray. Dry powder. Carbon dioxide. Sand. Alcohol resistant foam.
Unsu	itable extinguishing media	Do not use a heavy water stream.
5.2.	Specific hazards arising from the c	hemical
Fire h	azard	Extremely flammable aerosol.
Explo	sion hazard	Pressurised container: May burst if heated.
Haza fire	rdous decomposition products in case of	Carbon dioxide. Carbon monoxide. Vapours may form explosive mixture with air.
5.3.	Special protective actions for fire-f	ighters
Firefi	ghting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Prote	ction during firefighting	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. Do not enter fire area without proper protective equipment, including respiratory protection.

SECT	ON 6: Accidental release meas	ures
6.1.	Personal precautions, protective equ	ipment and emergency procedures
6.1.1.	For non-emergency personnel	
Emerge	ency procedures	Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing spray. Avoid contact with skin and eyes. Evacuate unnecessary personnel.
6.1.2.	For emergency responders	
Protect	ive equipment	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper protection. Avoid breathing dust/fume/gas/mist/vapours/spray.
Emerge	ency procedures	Ventilate area.



according to the United Nations GHS (Rev. 9, 2021)

6.2.	Environmental precautions	
Prever	nt entry to sewers and public waters. Notify	<i>i</i> authorities if liquid enters sewers or public waters.
6.3.	Methods and materials for conta	ainment and cleaning up
Meth	ods for cleaning up	Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
Othe	r information	Dispose of materials or solid residues at an authorized site.
SEC	TION 7: Handling and storag	e
7.1.	Precautions for safe handling	
Preca	autions for safe handling	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing spray. Avoid contact with skin and eyes. Wear personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
Hygie	ene measures	Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash hands, forearms and face thoroughly after handling.
7.2.	Conditions for safe storage, incl	luding any incompatibilities
Stora	age conditions	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.
Incor	npatible products	Strong bases. Strong acids.
Incompatible materials		Sources of ignition. Direct sunlight.

Storage temperature

5 – 25 °C

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

8.2. Appropriate engineerin	g controls
Appropriate engineering controls	Ensure good ventilation of the work station.
Environmental exposure controls	Avoid release to the environment.
Other information	Do not eat, drink or smoke during use.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection			Wear protective	gloves.			
Туре	Material		Permeation	Thickness (mm)	Penetratio	n	Standard
Disposable gloves	Nitrile rubber (NBR)						EN ISO 374
Eye protection Chemical goggles or safety glasses							
Type Field of a		plication	Characteristics		Standard		
Safety glasses					EN 166, EN	171	
Skin and body protection Wear suitable protective clothing							
Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment							
Device	Povice Eilter type Condition Standard						

Filter type Condition Standard Device Filter AX (brown)

Personal protective equipment symbol(s)





according to the United Nations GHS (Rev. 9, 2021)



8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Basic physical and chemical properties Physical state

Physical state	Liquid
Appearance	Aerosol
Colour	Colourless.
Odour	characteristic.
Odour threshold	Not available
Melting point	Not applicable
Freezing point	Not available
Boiling point	Not available
Flammability (solid, gas)	Extremely flammable aerosol.
Explosive limits	Not available
Lower explosive limit (LEL)	Not available
Upper explosive limit (UEL)	Not available
Flash point	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
рН	Not available
pH solution	Not available
Viscosity, kinematic (calculated value) (40 °C)	Not available
Partition coefficient n-octanol/water (Log Kow)	Not available
Vapour pressure	2500 – 2900 hPa at 20 °C
Vapour pressure at 50 °C	Not available
Density	0.74 – 0.76 g/cm ³
Relative density	Not available
Relative vapour density at 20 °C	Not available
Solubility	Soluble in water.
Explosive properties	Pressurised container: May burst if heated.
Particle size	Not applicable
Particle size distribution	Not applicable
Particle shape	Not applicable
Particle aspect ratio	Not applicable
Particle specific surface area	Not applicable

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available



according to the United Nations GHS (Rev. 9, 2021)

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

10.2. Chemical stability

Stable under normal conditions. Not established.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Not established.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition. Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified

Acetone (67-64-1)	
LD50 oral rat	5800 mg/kg (Rat, Female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 15800 mg/kg bodyweight (24 h, Rabbit, Male, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	76 mg/l (4 h, Rat, Female, Weight of evidence, Inhalation (vapours))
ethyl acetate (141-78-6)	
LD50 oral rat	10200 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 20000 mg/kg bodyweight (24 hour cuff method, 24 h, Rabbit, Male, Experimental value, Dermal, 14 day(s))
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory or skin sensitisation	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	Not classified
Aspiration hazard	Not classified
CED 1	

Vaporizer	Aerosol

Potential adverse human health effects and symptoms

Based on available data, the classification criteria are not met.



according to the United Nations GHS (Rev. 9, 2021)

SECTION 12: Ecological information	on
12.1. Toxicity	
Ecology - general	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short- term (acute)	Not classified
Hazardous to the aquatic environment, long- term (chronic)	Not classified
Acetone (67-64-1)	
LC50 - Fish [1]	6210 – 8120 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow- through system, Fresh water, Experimental value, Measured concentration)
ethyl acetate (141-78-6)	
LC50 - Fish [1]	230 mg/l (US EPA, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)

12.2. Persistence and degradability

CFR 1			
Persistence and degradability	Not established.		
isobutane (75-28-5)			
Not rapidly degradable			
propane (74-98-6)			
Not rapidly degradable			
Acetone (67-64-1)			
Persistence and degradability	Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. Readily biodegradable in water.		
Biochemical oxygen demand (BOD)	1.43 g O ₂ /g substance		
Chemical oxygen demand (COD)	1.92 g O ₂ /g substance		
ThOD	2.2 g O ₂ /g substance		
ethyl acetate (141-78-6)			
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.		
Biochemical oxygen demand (BOD)	0.293 g O ₂ /g substance		
Chemical oxygen demand (COD)	1.69 g O ₂ /g substance		
ThOD	1.82 g O ₂ /g substance		
butane (106-97-8)			
Not rapidly degradable	Not rapidly degradable		

12.3. Bioaccumulative potential

CFR 1			
Bioaccumulative potential	Not established.		
Acetone (67-64-1)			
Partition coefficient n-octanol/water (Log Kow)	-0.23 (Test data)		
Bioaccumulative potential	Not bioaccumulative.		
ethyl acetate (141-78-6)			
BCF - Fish [1]	30 (3 day(s), Leuciscus idus, Static renewal, Experimental value)		
Partition coefficient n-octanol/water (Log Kow)	0.68 (Experimental value, EPA OPPTS 830.7560, 25 °C)		
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).		

12.4. Mobility in soil

(CFR 1	
1	Mobility in soil	No additional information available



according to the United Nations GHS (Rev. 9, 2021)

Surface tension	23.3 mN/m (20 °C)	
Organic Carbon Normalized Adsorption	0.374 – 0.988 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Coefficient (Log Koc)		
Ecology - soil	Highly mobile in soil.	
ethyl acetate (141-78-6)		
Surface tension	No data available in the literature	
Ecology - soil	Low potential for adsorption in soil.	

12.5. Other adverse effects	
Ozone	Not classified
Other adverse effects	No additional information available
Other information	Avoid release to the environment.

SECTION 13: Disposal considerations		
13.1. Disposal methods		
Waste treatment methods	Dispose of contents/container in accordance with licensed collector's sorting instructions.	
Product/Packaging disposal recommendations	Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.	
Ecology - waste materials	Avoid release to the environment.	

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID /

ADR	IMDG	ΙΑΤΑ	RID
14.1. UN number			
UN 1950	UN 1950	UN 1950	UN 1950
14.2. UN proper shipping nan	10		
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS
Transport document description			
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS, 2.1	UN 1950 Aerosols, flammable, 2.1	UN 1950 AEROSOLS, 2.1
14.3. Transport hazard class(es)		
2.1	2.1	2.1	2.1
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information avail	able		



according to the United Nations GHS (Rev. 9, 2021)

4.6. Special precautions for user Overland transport		
Classification code (ADR)	5F	
Special provisions (ADR)	190, 327, 344, 625	
Limited quantities (ADR)	1	
Packing instructions (ADR)	P207, LP02	
Mixed packing provisions (ADR)	MP9	
Transport category (ADR)	2	
Tunnel restriction code (ADR)	D	
Transport by sea		
Special provisions (IMDG)	63, 190, 277, 327, 344, 959	
Limited quantities (IMDG)	SP277	
Packing instructions (IMDG)	P207, LP02	
EmS-No. (Fire)	F-D	
EmS-No. (Spillage)	S-U	
Stowage category (IMDG)	None	
MFAG-No	126	
Air transport		
PCA packing instructions (IATA)	203	
PCA max net quantity (IATA)	75kg	
CAO packing instructions (IATA)	203	
Special provisions (IATA)	A145, A167, A802	
Rail transport		
Special provisions (RID)	190, 327, 344, 625	
Limited quantities (RID)	1L	
Packing instructions (RID)	P207, LP02	

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

No additional information available

SECTION 16: Other information			
SDS Major/Minor	None		
Issue date	05/08/2022		
Revision date	05/08/2022		
Supersedes	11/09/2020		
Indication of changes:			
Modified.			
Section	Changed item	Change	Comments
			general update



according to the United Nations GHS (Rev. 9, 2021)

Other information	None.
Full text of H-statements:	
H220	Extremely flammable gas
H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapour
H229	Pressurised container: May burst if heated
H280	Contains gas under pressure; may explode if heated
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness

SDS_UN_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.