



Tribol GR 400-2 PD

Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

Issue date: 30/10/2023

Revision date: 30/10/2023

Version: 1.0

SECTION 1: Identification

1.1. GHS Product identifier

Product form	Mixture
Trade name	Tribol GR 400-2 PD
Product code	BU ETA
Product group	Trade product

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Recommended uses and restrictions	For professional use only
Recommended use	Lubricants, Greases and Release Products

1.4. Supplier's details

Supplier

Hilti (Philippines) Inc.
2256 Pasong Tamo Extension Edsa, Brgy. Magallanes
PH- 1224 Makati City
Philippinen
T +632 784 7100 - F +63 2 784 7100
customerservice.ph@hilti.com

Manufacturer

Castrol Germany GmbH
Überseeallee 1
20457 Hamburg
Germany

Department issuing data specification sheet

Hilti Entwicklungsgesellschaft mbH
Hiltistraße 6
DE- 86916 Kaufering
Deutschland
T +49 8191 906876
anchor.hse@hilti.com

1.5. Emergency phone number

Emergency number	Emergency CONTACT (24-Hour-Number): GBK GmbH Global Regulatory Compliance +49 (0)6132-84463 +632 784 7100
------------------	--

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification according to the United Nations GHS

Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412
Full text of H-statements: see section 16

Calculation method

2.2. GHS Label elements, including precautionary statements

Labelling according to the United Nations GHS

Signal word (GHS UN)	-
Hazard statements (GHS UN)	H412 - Harmful to aquatic life with long lasting effects
Precautionary statements (GHS UN)	P273 - Avoid release to the environment. P501 - Dispose of contents/container to

Tribol GR 400-2 PD

Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
2,6-di-tert-butyl-4-nonylphenol	CAS-No.: 4306-88-1	0.1 – 1	Skin sensitisation, category 1B, H317 Hazardous to the aquatic environment – Acute Hazard, Category 1, H400 Hazardous to the aquatic environment – Chronic Hazard, Category 1, H410
lithium hydroxide	CAS-No.: 1310-65-2	0.1 – 1	Acute toxicity (oral), Category 4, H302 Acute toxicity (inhalation:dust,mist) Category 3, H331 Skin corrosion/irritation, Category 1B, H314 Serious eye damage/eye irritation, Category 1, H318 Reproductive toxicity, Category 1A, H360 Hazardous to the aquatic environment – Acute Hazard, Category 3, H402 Hazardous to the aquatic environment – Chronic Hazard, Category 3, H412

Full text of H-statements: see section 16

SECTION 4: First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures general	First aider: Pay attention to self-protection!.
First-aid measures after inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	Wash with soap and water. Remove all contaminated clothing and footwear. If case of redness or irritation, call a doctor.
First-aid measures after eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	Do NOT induce vomiting unless directed to do so by medical personnel.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation	None under normal use.
Symptoms/effects after skin contact	Repeated dermal contact with material can lead to defatting of the skin.
Symptoms/effects after eye contact	None under normal conditions.
Symptoms/effects after ingestion	None under normal conditions.

Tribol GR 400-2 PD

Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

4.3. Indication of immediate medical attention and special treatment needed, if necessary

High pressure injection of product under the skin can have very serious consequences even without apparent symptoms or injuries.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media	Foam, powder.
Unsuitable extinguishing media	Warning: water promotes the spread of fire.

5.2. Specific hazards arising from the chemical

Fire hazard	No fire hazard.
Hazardous decomposition products in case of fire	Carbon oxides (CO, CO ₂). Metallic oxides.

5.3. Special protective actions for fire-fighters

Precautionary measures fire	No action shall be taken without appropriate training or involving any personal risk.
Other information	Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.
------------------	---

6.1.1. For non-emergency personnel

Emergency procedures	If spilled, may cause the floor to be slippery.
----------------------	---

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent liquid from entering sewers, watercourses, underground or low areas.

6.3. Methods and materials for containment and cleaning up

Methods for cleaning up	Clean up any spills as soon as possible, using an absorbent material to collect it.
Other information	Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	Avoid contact with skin, eyes and clothing.
Hygiene measures	Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	Opened containers must be carefully closed and kept upright to avoid leakage.
--------------------	---

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

No additional information available

8.3. Individual protection measures, such as personal protective equipment (PPE)

No additional information available

Tribol GR 400-2 PD

Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	Solid
Colour	brown.
Odour	No data available.
Odour threshold	Not available
Melting point	Not available
Freezing point	Not available
Boiling point	Not available
Flammability	Not available
Lower explosion limit	Not applicable
Upper explosion limit	Not applicable
Flash point	268 °C
Auto-ignition temperature	Not applicable
Decomposition temperature	Not available
pH	Not available
pH solution	Not available
Viscosity, kinematic (calculated value) (40 °C)	Not applicable
Partition coefficient n-octanol/water (Log Kow)	Not available
Vapour pressure	Not available
Vapour pressure at 50°C	Not available
Density	< 1 g/cm ³
Relative density	Not available
Relative vapour density at 20°C	Not applicable
Solubility	Not soluble in water alone.
Particle size	Not available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Oxidizing materials.

10.6. Hazardous decomposition products

No hazardous decomposition products known.

Tribol GR 400-2 PD

Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified

lithium hydroxide (1310-65-2)	
LD50 oral rat	330 mg/kg (Rat, Female, Weight of evidence, Oral)
LD50 dermal rat	> 2000 mg/kg (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	3400 g/m ³
LC50 Inhalation - Rat (Dust/Mist)	0.96 mg/l/4h
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified
Respiratory or skin sensitisation	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT-single exposure	Not classified
STOT-repeated exposure	Not classified
Aspiration hazard	Not classified

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	Not classified
Hazardous to the aquatic environment, long-term (chronic)	Harmful to aquatic life with long lasting effects.
Classification procedure (Hazardous to the aquatic environment, long-term (chronic))	Calculation method

lithium hydroxide (1310-65-2)	
LC50 - Fish [1]	62.2 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Calculated value, Nominal concentration)
EC50 - Crustacea [1]	19.1 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 algae	87.57 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Calculated value, Nominal concentration)

12.2. Persistence and degradability

Tribol GR 400-2 PD	
Persistence and degradability	No additional information available
lithium hydroxide (1310-65-2)	
Not rapidly degradable	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)



Tribol GR 400-2 PD

Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

2,6-di-tert-butyl-4-nonylphenol (4306-88-1)	
Not rapidly degradable	

12.3. Bioaccumulative potential

Tribol GR 400-2 PD	
Bioaccumulative potential	No additional information available
lithium hydroxide (1310-65-2)	
Bioaccumulative potential	Not bioaccumulative.

12.4. Mobility in soil

Tribol GR 400-2 PD	
Mobility in soil	No additional information available
lithium hydroxide (1310-65-2)	
Surface tension	No data available in the literature
Ecology - soil	Low potential for adsorption in soil.

12.5. Other adverse effects

Ozone	Not classified
Other adverse effects	No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

No additional information available

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID /

ADR	IMDG	IATA	RID
14.1. UN number or ID number			
Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name			
Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			
Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available			

14.6. Special precautions for user

Overland transport

Not applicable



Tribol GR 400-2 PD

Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

Transport by sea

Not applicable

Air transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

No additional information available

SECTION 16: Other information

Issue date 30/10/2023
Revision date 30/10/2023

Full text of H-statements:	
Acute Tox. 3 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Acute 3	Hazardous to the aquatic environment – Acute Hazard, Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Repr. 1A	Reproductive toxicity, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Sens. 1B	Skin sensitisation, category 1B
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H331	Toxic if inhaled
H360	May damage fertility or the unborn child
H400	Very toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

SDS_UN_Hilti



Tribol GR 400-2 PD

Safety Data Sheet

according to the United Nations GHS (Rev. 4, 2011)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.